



TUBOS REDONDOS de 168,3 a 406,4mm

Dimensiones exteriores d mm	Espesor t mm	Peso Teórico kg/m	Peso Teórico kN/m	Superficie m ² /Tn
168,3	3,6	14,60	0,1460	36,16
	4,5	18,20	0,1820	29,09
	6,3	25,20	0,2520	21,01
	8	31,60	0,3160	16,72
	10	39,00	0,3900	13,54
	12	46,30	0,4630	11,43
177,8	3,6	15,50	0,1550	36,12
	5	21,30	0,2130	26,21
	6,3	26,60	0,2660	20,96
	8	33,50	0,3350	16,67
	10	41,40	0,4140	13,50
	12	49,10	0,4910	11,38
193,7	3,6	16,90	0,1690	36,06
	5	23,30	0,2330	26,15
	6,3	29,10	0,2910	20,9
	8	36,60	0,3660	16,61
	10	45,30	0,4530	13,43
	12	53,80	0,5380	11,32
219,1	3,6	19,10	0,1910	35,98
	5	26,40	0,2640	26,07
	6,3	33,10	0,3310	20,82
	8	41,60	0,4160	16,53
	10	51,60	0,5160	13,35
	12	61,30	0,6130	11,23
244,5	6	6,76	0,0676	21,77
	8	8,38	0,0838	16,46
	10	10,30	0,1030	13,28
	12	12,80	0,1280	11,16
	14	16,00	0,1600	9,652
273	6	8,70	0,0870	21,71
	8	11,90	0,1190	16,4
	10	14,80	0,1480	13,22
	12	18,50	0,1850	11,10
	14	22,60	0,2260	9,591
323,9	8	62,30	0,6230	16,33
	10	77,40	0,7740	13,14
	12	92,30	0,9230	11,02
	14	107,00	1,0700	9,51
355,6	8	68,60	0,6860	16,29
	10	85,20	0,8520	13,11
	12	102,00	1,0200	10,99
	14	118,00	1,1800	9,472
406,4	8	78,60	0,7860	16,24
	10	97,80	0,9780	13,06
	12	117,00	1,1700	10,94
	14	135,00	1,3500	9,424